U.S. Department of Agriculture Forest Service	1. WORK PROJECT/ACTIVITY		2. LOCATION Flathead National Forest	3. UNIT Spotted Bear
	Backcountry Work Environ			Ranger District
JOB HAZARD ANALYSIS (JHA)	4. NAME OF ANALYST		5. JOB TITLE	6. DATE PREPARED
References-FSH 6709.11 and -12 (Instructions on Reverse)	Jim Flint		DFMO	2/24/2021
7. TASKS/PROCEDURES	8. HAZARDS		9. ABATEMENT ACTIO	
General Hazards	Personal Injuries (general)	Engineering Controls * Substitution * Administrative Controls * PPE -Proper Personal Protective Equipment (PPE) should be in good condition & worn at all times: -Non-skid boots with sufficient ankle support as identified in the health and safety code hadbook for the specific activity you are engaged inLeather gloves -Wear a long sleeve shirt to prevent cuts and scrapesA hardhat is to be worn at all times in the woods when working with hand tools and/or if wind conditions warrantEye protection -At least one person in the crew must carry a first aid kit in their pack at all times		PE) should be in good It as identified in the health Ivity you are engaged in. Ind scrapes. Ivoods when working Iarrant.
	Getting lost and other general hazards	0 0 0	Prevention — Be familiar with area of travel, know expectations, allow for unforeseen d Carry map, compass, and GPS with Have a communication plan and equ radio, cell phone, satellite phone, SF Carry bivouac equipment for the gro field if necessary (i.e.: bivy sack, tarp pad, fire starter, tarp, extra food, etc. DISCUSS COMMUNICATION PLANDEPARTURE	elays. the group. iipment as appropriate (FS POT tracker) up to spend a night in the potential of the second of th
Adverse Weather Conditons	Wind	-In ur break -Extre relativ -Avoi times -Plan forec -Liste - Dela -Wea -If ca	urned areas even light wind can cause aburned areas light to moderate winds to branches out of green trees are winds can blow down large tracts wely short times d working in areas of dead timber (but of high wind for increasing winds in the afternoon; asts and special wind warnings. It is not trees falling as a warning of appear or suspend work in areas of dead to reason at timbered area during periods earest natural opening large enough to	can cause snags to fall or of timber and branches in of timber and branches in oned or otherwise) during listen to daily weather roaching winds. The design of high winds, move to

	falling trees and limbs
Hot Conditions— Heat Stress, Sunburn	Hyperthermia is the result of the body being unable to maintain a cool enough core tempature leading to reduced mental capacity and evetually death. Hyperthermia can result from either high air temperature or heat generated by physical exertion. Dehyderation significantly increases the risk of hyperthermia Prevention: Keep hydrated. Drink water before, during and after work. Ensure that everyone in the crew has adequate water supplies until the next resupply. Plan work activities in accordance with cool and hot hours of the day. If possible work in the shade during the heat of the day Pace yourself to prevent exhaustion and overheating Maintain adequate caloric intake Maintain adequate electrolyte intake Identification Loss of coordination, reduced mental status Sweating out of character for exertion level (too much or too little) Flushed and dry Treatment Stop physical exertion Move to shaded environment Provide water or sports drink cool patient with water/fanning Hyponatremia is an inadequate level of salts in the blood stream leading to reduced mental status. Prevention Ensure adequate electrolyte intake with water Treatment Provide sports drink or salty foods Cool patient to prevent further loss of salts to sweating Sunburn Prevention Wear clothing to cover skin Use high SPF Sunscreen
Cool/Wet Conditions Hypothermia	 Hypothermia is the result of the body unable to maintain warm enough core temperature leading to reduced mental capacity and eventually death Hypothermia can occur at realitively mild temperatures Most hypothermia cases develop between 30 degrees fahrenheit and 50 degrees fahrenheit Wet clothing can be a significant factor in increasing heat loss

		 Prevention: Dress in layered clothing approtriate to the conditions – avoid cotton Keep clothing dry – carry extra as appropriate Manage layers to minimize sweating to keep clothing dry Maintain adequate caloric intake Maintain adequate hydration Identification – loss of coordination, reduced mental status (stumble, mumble, grumble) Treatment – Mild (able to cooperate with treatment) – insulate from environment, provide high sugar food, provide water Treatment – Severe (unable to cooperate with treatment) – insulate from environment, immediate gentle evacuation to medical care
	Thunderstorms/ Lightning	- Do not work on phone line during lightning storms -Avoid the tops of ridges, hilltops, wide-open spaces, ledges, rocky outcrops, and shelters in exposed areas. Avoid tall objects such as lone trees. Your best protection outside is a canyon, ditch, or head-high clumps of treesAvoid grouping people together -If a lightning strike seems eminent, the best protection in open country is to make yourself as small a target as possible. Move away from horses and stock. Drop to your knees, bend forward with your hands resting on your knees, and keep a distance of twice the height of the nearest tree between you and the tree. Keep your feet togetherPersons struck by lightning may receive a severe electrical shock and burns, including entry and exit wounds. VICTIMS OF A LIGHTNING STRIKE MAY SUFFER RESPIRTORY AND/OR CARDIAC ARREST. THEREFORE, ADMINISTER CPR IMMEDIATELY IF NEEDED AND FIRST AID, AS REQUIRED
Environmental exposure	Giardia	Giardia is a microscopic organism that, after ingestion, normally attaches themselves to the small intestine and cause severe intestinal distress. Prevention Giardia spores naturally occur in many surface water sources Water may be treated by filtering (1 micron filter), boiling (minimum 1 minute), chemical treatment (chlorination or iodine), or UV (ie Steripen) Do not drink untreated water Giardia is also commonly transmitted from person to person

		 Thoroughly wash hands after defecating Thoroughly wash hands prior to handling food Use hand sanitizer in conjunction with (not in replacement of) hand washing Do not handle food if you suspect you may have been infected Wash cooking and serving utensils in hot water, treat rinse water with bleach Treatment Giardia may be treated by prescription medication If you suspect you are infected seek medical attention as symptoms do not "go away" and you are exposing you coworkers
*	Hantavirus (53.73a)	-Hantavirus is a cause of acute pumonary disease and deathThe primary carrier is the deer mouseTransmission occurs by inhalation of the aerosolized virus when dried materials contaminated by droppings are disturbed; -Avoid direct contact with rodents (live or dead), their droppings, urine, nests, or items that may be contaminated -Do not sweep until the area has been soaked disinfectant and let soak thoroughly for 10-15 minutes (bleach solution of 1 part household bleach to 10 parts water)Before working where there is a heavy rodent infestation review the Hantavirus JHA
*Foot Travel (11.2-11.32	Physical Exhaustion	-Pace yourselfKnow your limitationsReport for work in reasonable shapeStay in constant visual or verbal contact with your fellow crew membersCrew leaders are responsible to keep their crew moving as a single unit and should travel as fast as the slowest member.
	Blisters	-Wear boots that are adequately broken in. carry "camp shoes" -Stop and tend to hot spots when they first appear -Carry first aid kit with stocked blister kit. Have duct tape available.
*Fording Rivers & Streams	Slipping & Falling	 Avoid fording rivers and streams when possible. Do not ford a stream unless you are certain that all members of your group can ford safely. When streams are muddy or you can hear rocks rolling along the stream bed, they are likely too high to cross safely. Stream levels can change rapidly in response to daily snow mel and rain enents. Plan accordingly. When travel requires fording, select the safest location. A crossing with shallow, slow moving water over a bed of gravel or

		 cobbles is prefered. Deep, swift water over boulders is least desirable. Fording multiple channels or braids may be safer than crossing a single large channel. Avoid fords with hazards directly downstream such as rapids and log jams. Or where you cannot see potential down stream hazards Use a treking pole or stout walking stick for balance. Shuffle your feet rather than taking long strides. Walk on stream bottom rather than stepping from boulder to boulder. Loosen your shoulder straps and unbuckle your waist belt and chest strap prior to fording a stream. Discard your pack if you fall and are being swept downstream. Do not ford streams barefoot. Wear wading shoes, rubber soled sandals or hiking boots.
Human, Wildlife Interaction	Bear Encouters or Attacks Reference H&S Handbook 53.7,53.71,53.72	- Bear Spray has been shown to be highly effective when used properly, to stop bear attacks. Bear spray and training is available for employees. You are strongly encouraged to carry bear spay when working, travelling or camping on the Flathead NF. Refer to the Bear Spray JHA - All bears are potentially dangerous Risk is increased when bears are surprised, or are defending either cubs or a food source Minimize your likelyhood of encountering bears by working in groups and making noise when possible. Use extra caution when working or travelling in areas with fresh bear sign or areas known to be frequented by bears - If you encounter an animal carcass with bear sign, leave the area immediately and tell your supervisor and any other people in the area If you do encounter a bear in close proximity, remain calm, move away slowly and speak in a low voice. Your objective is to not be precieved as threatening. Prepare to use bear spray if you are carrying it Bears may stand on their hind legs or approach to help see and identify you, this may not be a sign of aggression If the bear charges or continues to approach use bear spray according to your training If you do not have bear spay assume a position face down with your legs tucked to your chest and your hands claspped behind your neck When camping in bear habitat, keep a clean camp, minimize all attractant odors Follow the food storage order and keep all food, dishes and trash away from your sleeping area.

		 If a bear enters your camp, make noise to discourage the bear. If the bear is aggressive or appears ready to attack, prepare to defend and protect yourself.
*	Mountain Lions (53.72)	-Make noise while you work and travel to prevent surprising a lionGive the lion a way to escape. Talk calmly yet firmlyStop or back away slowly Appear threatening to the lion, Never crouch, try to hide, turn away or run awayTry to appear larger by raising arms or object over the headIf the lion behaves aggressively, throw stones, branches, or whatever can be reached without crouching or turning awayFight back if attacked. Protect head and neck.
*	Insects (53.61) (53.61a)	-Watch out for bee nestsCarry an EpiPen and Benadryl (diphenhydramine) if you are allergic -Let your crew know if you have allergic reactions, and inform them as how to treat you if stung -Wood ticks are common (especially befor mid July), check for ticks regularly - If a tick is embedded, remove using gentle consisitent pressure (this may take several minutes), clean the bite site and monitor for any infection or reactionBe prepared for mosquitos and flies by carrying repellant and wearing protective clothing (nets, long sleeves, pants).
*Hunting Season (21.31)	Accidental Shootings	-Wear hunter orange safety vest during hunting season -Post signs near work sites to warn hunters of crew location -Reschedule jobs to allow crew to safely work away from hunters when possible -Visit hunting camps and warn hunters in the camp that crews are working in the area -Avoid wearing clothing during hunting season that is the same color as the game animal being hunted
*Trail Clearing	Use of Hand Tools Injury	 Inspect tool handles and heads for flaws and needed repairs Wear gloves, sturdy boots, long sleeved shirt, long pants, hardhat, and eye protection. Carry all tools in scarbbards. Do not carry tools over your shoulder, except as described under crosscut saws and chainsaws. Ensure proper footing before beginning to use your tool. Provide for adequate spacing, at least 10' between your neighbor. Clearly communicate when you need to pass by and wait for people to stop working before moving through. Do not stand behind someone swinging a hand tool

		- Refer to hand tool and saw JHA for tool use in	formation
*Heavy Lifting (52.42)	Muscle Strains	-Before lifting heavy objects, plan where the o clear the routeBefore lifting heavy objects stretch and loose chance of muscle strains or other injuries -Use your knees not your back when lifting, ke not twist while lifting. Ask for help if necessary if needed for leverage.	n muscles to reduce the
*Camp Safety	Camp Hazards	-Avoid natural hazards including overhanging rocks, snags, and roslide areas when choosing a camp locationStore tools in a specified location in camp. Do not leave tools scattered around the tents or in the kitchen areaKeep camp clean – use sanitation techniques recommended by Lestore attractants in accordance with the food storage order -Keep food protected from weather, flies, and rodents -Train employees in proper use of specific camp equipment includicamp stoves, water filters, -Store white gas away from wood stove or propane stove	
*Hazard Trees	Trees Falling	-Stay out of areas with burned areas and other snag patches during windy conditions -Do not camp in areas that have numerous dead standing snags - If there are specific trees of concern, remove the hazard if it can be done safely -Wear hard hat in areas that have snags	
Backcountry Ranger Station Flammable Storage	Fire Hazard	Store flammables in clearly marked containers in the designated building or area	
*			
10. LINE OFFICER SIGNATURE	L	11. TITLE	12. DATE
		District Ranger	

Previous edition is obsolete (over)

JHA Instructions (References-FSH 6709.11 and .12)

The JHA shall identify the location of the work project or activity, the name of employee(s) writing the JHA, the date(s) of development, and the name of the appropriate line officer approving it. The supervisor acknowledges that employees have read and understand the contents, have received the required training, and are qualified to perform the work project or activity.

- Blocks 1, 2, 3, 4, 5, and 6: Self-explanatory.
- **Block 7:** Identify all tasks and procedures associated with the work project or activity that have potential to cause injury or illness to personnel and damage to property or material. Include emergency evacuation procedures (EEP).
- **Block 8:** Identify all known or suspect hazards associated with each respective task/procedure listed in block 7. For example:
 - a. Research past accidents/incidents
 - Research the Health and Safety Code, FSH 6709.11 or other appropriate literature.
 - c. Discuss the work project/activity with participants
 - d. Observe the work project/activity
 - e. A combination of the above
- **Block 9:** Identify appropriate actions to reduce or eliminate the hazards identified in block 8. Abatement measures listed below are in the order of the preferred abatement method:
 - Engineering Controls (the most desirable method of abatement).
 For example, ergonomically designed tools, equipment, and furniture.
 - b. Substitution. For example, switching to high flash point, non-toxic solvents.
 - Administrative Controls. For example, limiting exposure by reducing the work schedule; establishing appropriate procedures and practices.
 - d. PPE (least desirable method of abatement). For example, using hearing protection when working with or close to portable machines (chain saws, rock drills portable water pumps)
 - e. A combination of the above.
- Block 10: The JHA must be reviewed and approved by a line officer. Attach a copy of the JHA as justification for purchase orders when procuring PPE.
- Blocks 11 and 12: Self-explanatory.

Emergency Evacuation Instructions (Reference FSH 6709.11)

Work supervisors and crew members are responsible for developing and discussing field emergency evacuation procedures (EEP) and alternatives in the event a person(s) becomes seriously ill or injured at the worksite.

Be prepared to provide the following information:

- a. Nature of the accident or injury (avoid using victim's name).
- b. Type of assistance needed, if any (ground, air, or water evacuation)
- Location of accident or injury, best access route into the worksite (road name/number), identifiable ground/air landmarks.
- d. Radio frequency(s).
- e. Contact person.
- f. Local hazards to ground vehicles or aviation.
- g. Weather conditions (wind speed & direction, visibility, temp).
- h. Topography.
- i. Number of person(s) to be transported
- j. Estimated weight of passengers for air/water evacuation.

The items listed above serve only as guidelines for the development of emergency evacuation procedures.

JHA and Emergency Evacuation Procedures Acknowledgment

We, the undersigned work leader and crew members, acknowledge participation in the development of this JHA (as applicable) and accompanying emergency evacuation procedures. We have thoroughly discussed and understand the provisions of each of these documents:

SIGNATURE	DATE	SIGNATURE	DATE
Work Leader			